

# OEM/ODM Car Charger With 3 USB Port Quick Charge 3.0 CL-1803

## QC3.0 USB

× PORT IS MORE CONVENIENT FOR CHARGING



# METAL RING

**CNC**

Grinding process



QC3.0 CAR CHARGER Input:DC2-24V  
DC3.0 output:5.0-6V==3A/6-9V==2.0-1.2A==1.5A  
Auto id. output:5V==3.0A TOTAL POWER:50W (MAX)

# A MASTERPIECE

WITH SPECIAL COLOR AND HIGH QUALITY ✕



QC3.0 CAR CHARGER INPUT:DC12-24V  
OUTPUT:5V-0.9A/5V-2A/9V-1.2A/12V-1.5A  
AUTO REVERSE PROTECT 5W-3.6A TOTAL POWER:30W (MAX)



# YOUR BEST PARTNER

BELONGING WITH THE CAR.  
SUITABLE FOR FAMILY CARS, SUV AND OFF-ROAD  
VEHICLES WITH 12-24V CHARGING

×

12-24V





# ERGONOMIC DESIGN

WELLED POLISHED DESIGN WITH TOUGH ALUMINUM ALLOY **x**  
MATERIAL AND STRONG STRUCTURE  
MAKE IT DURABLE AGAINST WRESTLING OR CRASH.



# AUTO-ID DESIGN

TO FULFILL DIFFERENT CHARGING.  
QC3.0 USB TOGETHER WITH 2 ATUP-ID USB OUTLETS, CONVENIENT  
FOR 3-DEVICE SIMULTANEOUS CHARGING. × **QC3.0 USB**



# EASY OPERATION

PLUG INTO USE. INSERT CAR CHARGER ×  
INTO CIGARETTE LIGHTER TO USE.







USB PORT	3 (1QC3.0)
MEASUREMENT	73.2*39.0*27.6MM
INPUT	DC12-24V
OUTPUT	DC 5V=3.6A(MA)+QC3.0 3.6V-6V=3A 6V-9V=2A 9V-12V=1.5A
POWER SUPPLY	36W
COLOR	GUN-GREY

# 3 IN 1 CAR CHARGER

1 FAST CHARGING, 2 INTELLIGENT CHARGING

×

BS703Q

FAST  
CHARGER  
EXPERT



Economic design

QC3.0 CAR CHARGER INPUT:DC12-24V  
QC3.0 OUTPUT:3.0-6V==3A/6-9V==2A/9-12V==1.5A  
AUTO ID OUTPUT:5V==3.0A TOTAL POWER:30W (MAX)

# MULTIPLE

PROTECTIONS SHELTER YOUR DEVICES FROM DAMAGES



Overcurrent protection



Short-circuit protection



Overvoltage protection



Hypothermic protection



Strong corrosion resistance



Over temperature protection