

Caractéristiques

téléphone portable robuste débloqué

1.WCDMAGSM

2.dual sim/veille, double cœur

3. talkie-walkie

4. étanche

5 : chute libre de 5 M, étanche à l'eau de 3 M, pression de 1 500 KG

6 : IP 68 (PROTECTION CONTRE L'ENTRÉE) Conception standard

7 : Plateforme : MTK6250A, vitesse à 2 cœurs, processeur 1,2 G

8 : antipoussière et antichoc également



















Specification

Chipset	Dual Quad MTK 6250A Cheapest Land rovel L8 rugged mobile phone
Screen	Size 2.4 inch IPS screen
Sim	Card Dual Sim (GSM+GPRS+EDGE)
Memory	64M/64M
GPS	Support
Bluetooth	Bluetooth 2.0
TF Card	Support Maximum 32G
Talk	Time Up than 7hrs
Standby	Time 251hrs
Walkie Talkie	Frequency 400-470MHz Full Frequency Walkie Talkie Module, Can Walkie Talkie With Same/Similar Communication System, Communication Distance: 3-5 Kilometers
Screen	2.4TFT
GSM	850/900/1800/1900MHz
Battery	2000mAh
External	Support 32G T-Flash card maximum
Memory	64m/64m
Video/Audio	Support MP3, etc
Photo	Support JPG, PNG, BMP, GIF
Outdoor tools	E-compass, waterproof camera, muti-function sersor
Other	Configurations TV,Wlkie talkie
Accessories	1 *2000mAh Battery 1 * USB Cable 1 * USB Charger 1 * Charging Adapter 1 * 3.5mm Earphone 1 * Manual





Runbo

Smartphone ● Waterproof ● Walkie Talkie

Certificate of Authorization

Hereby authorise: **Best Source International Limited**

Address: Room A2605 world trade plaza, Fuhong Road,
Futian District, Shenzhen, Guangdong, China

Contact: Hezhongqing

Tel: +86 138 2372 4280

Website: <http://bestsourcehk.en.alibaba.com>
<http://www.aliexpress.com/store/501176>

AS Runbo's

Authorised distributor

Except China (included Hongkong, Macao, Taiwan)

Authorization deadline: **Feb. 2014-Feb. 2015**

With these commitments: Runbo product which purchased from this shop are original authentic goods. can enjoy complete after-sale service. for the unauthorization product Runbo company will not guarantee the authenticity and legitimacy of their product. will not help for distinguish or responsible for after-sales service