

Land Rover τραχιά τηλέφωνο Andriod 4,2 με Wechat Faceobook Skype

Προδιαγραφές?

(Unlocked μοντέλο, σχεδιασμένο για τους ανθρώπους που ζουν και εργάζονται στην άγρια φύση, όπως η Αστυνομία, στρατιώτης, αθλητής, Εξωτερική ταξιδιώτη, Υπόγεια εργαζομένων, Εργοτάξια ... κλπ, πολύ δημοφιλές στους ανθρώπους που είναι απολαμβάνουν υπαίθρια αθλήματα, ειδικά στην ΕΕ και τη Βόρεια Αμερική).

- * **4.0 "IPS Gorilla γυαλί Ανάλυση 800x480**
- * **MTK6572 Dual Core 1.2GHz (Καλύτερη από MTK6577)**
- * **Διπλή SIM διπλή αναμονής**
- * **3000mAh Μεγάλες Capactive Long αναμονής**
- * **GPS (Built-in GPS πλοήγησης)**
- * **IP 68 (υποβρύχιες έως 1 μέτρο κάτω από το νερό για 30 λεπτά)**
Αδιάβροχη, dustproof και ανθεκτικό στα χτυπήματα
- * **2G: GSM 850/900/1800/1900 MHZ (Quad band)**
3G: WCDMA 900 / 2100MHz

ΣΗΜΕΙΩΣΗ:

Τραχιά τηλέφωνο A8 Andriod 4.2 για Land Rover με Wechat Faceobook Skype

Ξεκλείδωτο για παγκόσμια χρήση, αυτό το μοντέλο είναι το έξυπνο τηλέφωνο θα λειτουργεί στις συχνότητες GSM δίκτυο 850/900/1800/1900 MHz και WCDMA / HSPA 850/1900 / 2100MHz.

Επιβεβαιώστε με τους μεταφορείς ή τους προμηθευτές σας πριν από την αγορά αυτό το στοιχείο. Για να ελέγξετε τη συγκεκριμένη συχνότητα δικτύου μεταφοράς και την περιοχή σας.

Πρότυπο συμπεριλαμβάνονται:

1. 1 x A8 Τηλέφωνο
2. 1 x Battery (3000mAh)
3. 1x Φορτιστής
4. 1 καλώδιο xUSB
5. 1 xearphone
6. 1xΟδηγίες χρήσης (κινέζικο)





bestsourcehk.en.alibaba.com



bestsourcehk.en.alibaba.com







Verification of Compliance

This device is in conformity with Part 15 of the FCC Rules and Regulations for Information Technology Equipment. Operation of this product is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Responsible Party : Best Source International Limited
Address : 28F, 68Room, Seg Plaza, North Rd., Huaqiang, Shenzhen, Guangdong, China

EUT Certification Summary
Equipment Class : FCC Part 15 Subpart B Class B
Report Number : ATE20042728
Tested by : Accurate Technology Co., Ltd.

We, the responsible party:
Best Source International Limited
Declare that the product
Charger
Model No.: AP, DP



Martin
(Manager)

Date: December 25, 2006

was tested to conform to the applicable FCC Rules and Regulations. The method of testing was in accordance to the most accurate measurement standards possible, and that all necessary steps have been taken to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Certificate of Registration



The Governing Board of
Q.A. International Certification Limited
hereby grants to:

Best Source International Ltd.
Registration No.: QAC / CN / 10395 - A

hereinafter called the Registered Company the right to be listed in the Directory of Registered Companies in respect of the services listed below. These services shall be offered to the Registered Company or at from only the address given below in accordance with the quality management system in compliance with ISO 9001:2005.

Address to which this Certificate refers:

No.3, Shuangnan Industrial Park, Gaohe Community, Xixiang Street,
Bao'an District, Shenzhen City, Guangdong Province, P.R. China

Approved Scope to which this Certificate refers:

The Processing of PCB (Printed Circuit Board Assembly) for Computer parts, Tablet PC, Smart Phone, Android TV, Security Control Products and Management of Related Environmental Aspects.

(Further clarification regarding the Scope of this Certificate and the applicability of ISO 9001:2005 requirements may be obtained by consulting the organization)

Signed for and on behalf of the Board:

CHAIRMAN

SCHEME MANAGER

A. J. Duffield

A. Carter

Certificate Issue Date: 10th January 2011 - Certificate Expiry Date: 2nd February 2014
Date of Initial Registration: 2nd February 2011 - Re-assessment Date: 2nd February 2014

This Certificate of Registration is granted subject to the Regulations approved by the Board.

A INTERNATIONAL

International Certification Ltd.
11 Road,
London,
United Kingdom



EC-R&TTE Certificate

No.: BST13020193Y-IEC-1

Submitter : GIG ADVANCE TECHNOLOGY & ELECTRONIC CO., LTD.
Manufacturer : 11F, 68Room, Seg Plaza, North Rd., Huaqiang, Shenzhen, Guangdong, China
Product : 8.7inch Tablet PC with WIFI Dual Camera
Model : SP905, RH9750, MT9750

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
AN.1.101	EMC	EN 55022	Pass
AN.1.102	EMC	EN 55024	Pass
AN.1.103	EMC	EN 55025	Pass
AN.1.104	EMC	EN 55026	Pass


The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.
The scope of evaluation relates to the submitted documents only.



Christina
Manager
March 11, 2013

Shenzhen BST Technology Co., Ltd.

Building No.23-24, Zhongyuan Industrial Park, Guanhu Road, Nanshan District, Shenzhen, Guangdong, China
Tel: 400-882-8828 E-mail: china@bst.com.cn Complaints hotline: 86-755-26747758 http://www.bst.com.cn



CERTIFICATE OF R&TTE COMPLIANCE

According to Directive: 1999/5/EC
Ref. No.: 2011NT024558B/024558B/024558B/024558B

Product: 7" MID
Applicant: BEST SOURCE INTERNATIONAL CO.,
Address: Shenzhen City, Guangdong Province, China
Manufacturer: BEST SOURCE INTERNATIONAL CO.,
Address: 68Room, Seg Plaza, North Rd., Huaqiang, Shenzhen
Model: A0701, R0702
Rating: Input AC: 100-240V/Output DC: 5V/1.5A

The test sample of product has been tested to the test (standards) to comply with the following standards:

Standard(s):
Article 3.1a) EN 55022-1:2006 EN 62311:2006
Article 3.1b) EN 55024-1:2006 EN 62311:2006
Article 3.2) EN 300 328 V1.7.1:2006-10

Test report(s) No.:
NTEK-2011NT024558B/024558B/024558B/024558B
NTEK-2011NT024558B/024558B/024558B/024558B
NTEK-2011NT024558B/024558B/024558B/024558B

Based on the voluntary assessment of the product sample and technical file, we confirm that the above-mentioned product meets the requirements of the EC directive.
The CE mark as shown below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC declaration of conformity and compliance with all relevant EC directives.



Approved by (Date):

Signature
Manager

NTEK Testing Technology Co., Ltd.
Address: 11F, 68Room, Seg Plaza, North Rd., Huaqiang, Shenzhen, Guangdong, China
Tel: 400-882-8828 E-mail: china@bst.com.cn Complaints hotline: 86-755-26747758 http://www.bst.com.cn

Certificate of Registration



The Governing Board of
Q.A. International Certification Limited
hereby grants to:

BestSource International Ltd.
Registration No.: QAC / CN / 10395 - A

hereinafter called the Registered Company the right to be listed in the Directory of Registered Companies in respect of the services listed below. These services shall be offered to the Registered Company or at from only the address given below in accordance with the quality management system in compliance with ISO 14001:2004.

Address to which this Certificate refers:

No.3, Shuangnan Industrial Park, Gaohe Community, Xixiang Street,
Bao'an District, Shenzhen City, Guangdong Province, P.R. China

Approved Scope to which this Certificate refers:

The Processing of PCB (Printed Circuit Board Assembly) for Computer parts, Tablet PC, Smart Phone, Android TV, Security Control Products and Management of Related Environmental Aspects.

Signed for and on behalf of the Board:

CHAIRMAN

SCHEME MANAGER

A. J. Duffield

A. Carter

Certificate Issue Date: 10th January 2011 - Certificate Expiry Date: 2nd February 2014
Date of Initial Registration: 2nd February 2011 - Re-assessment Date: 2nd February 2014

This Certificate of Registration is granted subject to the Regulations approved by the Board.

A INTERNATIONAL

International Certification Ltd.
11 Road,
London,
United Kingdom



Certificate of Compliance

Certificate Number: BST13020193Y-1RC-4

Applicant : GIG ADVANCE TECHNOLOGY & ELECTRONIC CO., LTD.
Manufacturer : 11F, 68Room, Seg Plaza, North Rd., Huaqiang, Shenzhen, Guangdong, China
Product : 8.7inch Tablet PC with WIFI Dual Camera
Model : SP905, RH9750, MT9750

Test Standard : EN 55022:1996, EN 55024:1996, EN 55025:1996, EN 55026:1996, EN 55027:1996, EN 55028:1996, EN 55029:1996, EN 55030:1996, EN 55031:1996, EN 55032:1996, EN 55033:1996, EN 55034:1996, EN 55035:1996, EN 55036:1996, EN 55037:1996, EN 55038:1996, EN 55039:1996, EN 55040:1996, EN 55041:1996, EN 55042:1996, EN 55043:1996, EN 55044:1996, EN 55045:1996, EN 55046:1996, EN 55047:1996, EN 55048:1996, EN 55049:1996, EN 55050:1996, EN 55051:1996, EN 55052:1996, EN 55053:1996, EN 55054:1996, EN 55055:1996, EN 55056:1996, EN 55057:1996, EN 55058:1996, EN 55059:1996, EN 55060:1996, EN 55061:1996, EN 55062:1996, EN 55063:1996, EN 55064:1996, EN 55065:1996, EN 55066:1996, EN 55067:1996, EN 55068:1996, EN 55069:1996, EN 55070:1996, EN 55071:1996, EN 55072:1996, EN 55073:1996, EN 55074:1996, EN 55075:1996, EN 55076:1996, EN 55077:1996, EN 55078:1996, EN 55079:1996, EN 55080:1996, EN 55081:1996, EN 55082:1996, EN 55083:1996, EN 55084:1996, EN 55085:1996, EN 55086:1996, EN 55087:1996, EN 55088:1996, EN 55089:1996, EN 55090:1996, EN 55091:1996, EN 55092:1996, EN 55093:1996, EN 55094:1996, EN 55095:1996, EN 55096:1996, EN 55097:1996, EN 55098:1996, EN 55099:1996, EN 55100:1996, EN 55101:1996, EN 55102:1996, EN 55103:1996, EN 55104:1996, EN 55105:1996, EN 55106:1996, EN 55107:1996, EN 55108:1996, EN 55109:1996, EN 55110:1996, EN 55111:1996, EN 55112:1996, EN 55113:1996, EN 55114:1996, EN 55115:1996, EN 55116:1996, EN 55117:1996, EN 55118:1996, EN 55119:1996, EN 55120:1996, EN 55121:1996, EN 55122:1996, EN 55123:1996, EN 55124:1996, EN 55125:1996, EN 55126:1996, EN 55127:1996, EN 55128:1996, EN 55129:1996, EN 55130:1996, EN 55131:1996, EN 55132:1996, EN 55133:1996, EN 55134:1996, EN 55135:1996, EN 55136:1996, EN 55137:1996, EN 55138:1996, EN 55139:1996, EN 55140:1996, EN 55141:1996, EN 55142:1996, EN 55143:1996, EN 55144:1996, EN 55145:1996, EN 55146:1996, EN 55147:1996, EN 55148:1996, EN 55149:1996, EN 55150:1996, EN 55151:1996, EN 55152:1996, EN 55153:1996, EN 55154:1996, EN 55155:1996, EN 55156:1996, EN 55157:1996, EN 55158:1996, EN 55159:1996, EN 55160:1996, EN 55161:1996, EN 55162:1996, EN 55163:1996, EN 55164:1996, EN 55165:1996, EN 55166:1996, EN 55167:1996, EN 55168:1996, EN 55169:1996, EN 55170:1996, EN 55171:1996, EN 55172:1996, EN 55173:1996, EN 55174:1996, EN 55175:1996, EN 55176:1996, EN 55177:1996, EN 55178:1996, EN 55179:1996, EN 55180:1996, EN 55181:1996, EN 55182:1996, EN 55183:1996, EN 55184:1996, EN 55185:1996, EN 55186:1996, EN 55187:1996, EN 55188:1996, EN 55189:1996, EN 55190:1996, EN 55191:1996, EN 55192:1996, EN 55193:1996, EN 55194:1996, EN 55195:1996, EN 55196:1996, EN 55197:1996, EN 55198:1996, EN 55199:1996, EN 55200:1996, EN 55201:1996, EN 55202:1996, EN 55203:1996, EN 55204:1996, EN 55205:1996, EN 55206:1996, EN 55207:1996, EN 55208:1996, EN 55209:1996, EN 55210:1996, EN 55211:1996, EN 55212:1996, EN 55213:1996, EN 55214:1996, EN 55215:1996, EN 55216:1996, EN 55217:1996, EN 55218:1996, EN 55219:1996, EN 55220:1996, EN 55221:1996, EN 55222:1996, EN 55223:1996, EN 55224:1996, EN 55225:1996, EN 55226:1996, EN 55227:1996, EN 55228:1996, EN 55229:1996, EN 55230:1996, EN 55231:1996, EN 55232:1996, EN 55233:1996, EN 55234:1996, EN 55235:1996, EN 55236:1996, EN 55237:1996, EN 55238:1996, EN 55239:1996, EN 55240:1996, EN 55241:1996, EN 55242:1996, EN 55243:1996, EN 55244:1996, EN 55245:1996, EN 55246:1996, EN 55247:1996, EN 55248:1996, EN 55249:1996, EN 55250:1996, EN 55251:1996, EN 55252:1996, EN 55253:1996, EN 55254:1996, EN 55255:1996, EN 55256:1996, EN 55257:1996, EN 55258:1996, EN 55259:1996, EN 55260:1996, EN 55261:1996, EN 55262:1996, EN 55263:1996, EN 55264:1996, EN 55265:1996, EN 55266:1996, EN 55267:1996, EN 55268:1996, EN 55269:1996, EN 55270:1996, EN 55271:1996, EN 55272:1996, EN 55273:1996, EN 55274:1996, EN 55275:1996, EN 55276:1996, EN 55277:1996, EN 55278:1996, EN 55279:1996, EN 55280:1996, EN 55281:1996, EN 55282:1996, EN 55283:1996, EN 55284:1996, EN 55285:1996, EN 55286:1996, EN 55287:1996, EN 55288:1996, EN 55289:1996, EN 55290:1996, EN 55291:1996, EN 55292:1996, EN 55293:1996, EN 55294:1996, EN 55295:1996, EN 55296:1996, EN 55297:1996, EN 55298:1996, EN 55299:1996, EN 55300:1996, EN 55301:1996, EN 55302:1996, EN 55303:1996, EN 55304:1996, EN 55305:1996, EN 55306:1996, EN 55307:1996, EN 55308:1996, EN 55309:1996, EN 55310:1996, EN 55311:1996, EN 55312:1996, EN 55313:1996, EN 55314:1996, EN 55315:1996, EN 55316:1996, EN 55317:1996, EN 55318:1996, EN 55319:1996, EN 55320:1996, EN 55321:1996, EN 55322:1996, EN 55323:1996, EN 55324:1996, EN 55325:1996, EN 55326:1996, EN 55327:1996, EN 55328:1996, EN 55329:1996, EN 55330:1996, EN 55331:1996, EN 55332:1996, EN 55333:1996, EN 55334:1996, EN 55335:1996, EN 55336:1996, EN 55337:1996, EN 55338:1996, EN 55339:1996, EN 55340:1996, EN 55341:1996, EN 55342:1996, EN 55343:1996, EN 55344:1996, EN 55345:1996, EN 55346:1996, EN 55347:1996, EN 55348:1996, EN 55349:1996, EN 55350:1996, EN 55351:1996, EN 55352:1996, EN 55353:1996, EN 55354:1996, EN 55355:1996, EN 55356:1996, EN 55357:1996, EN 55358:1996, EN 55359:1996, EN 55360:1996, EN 55361:1996, EN 55362:1996, EN 55363:1996, EN 55364:1996, EN 55365:1996, EN 55366:1996, EN 55367:1996, EN 55368:1996, EN 55369:1996, EN 55370:1996, EN 55371:1996, EN 55372:1996, EN 55373:1996, EN 55374:1996, EN 55375:1996, EN 55376:1996, EN 55377:1996, EN 55378:1996, EN 55379:1996, EN 55380:1996, EN 55381:1996, EN 55382:1996, EN 55383:1996, EN 55384:1996, EN 55385:1996, EN 55386:1996, EN 55387:1996, EN 55388:1996, EN 55389:1996, EN 55390:1996, EN 55391:1996, EN 55392:1996, EN 55393:1996, EN 55394:1996, EN 55395:1996, EN 55396:1996, EN 55397:1996, EN 55398:1996, EN 55399:1996, EN 55400:1996, EN 55401:1996, EN 55402:1996, EN 55403:1996, EN 55404:1996, EN 55405:1996, EN 55406:1996, EN 55407:1996, EN 55408:1996, EN 55409:1996, EN 55410:1996, EN 55411:1996, EN 55412:1996, EN 55413:1996, EN 55414:1996, EN 55415:1996, EN 55416:1996, EN 55417:1996, EN 55418:1996, EN 55419:1996, EN 55420:1996, EN 55421:1996, EN 55422:1996, EN 55423:1996, EN 55424:1996, EN 55425:1996, EN 55426:1996, EN 55427:1996, EN 55428:1996, EN 55429:1996, EN 55430:1996, EN 55431:1996, EN 55432:1996, EN 55433:1996, EN 55434:1996, EN 55435:1996, EN 55436:1996, EN 55437:1996, EN 55438:1996, EN 55439:1996, EN 55440:1996, EN 55441:1996, EN 55442:1996, EN 55443:1996, EN 55444:1996, EN 55445:1996, EN 55446:1996, EN 55447:1996, EN 55448:1996, EN 55449:1996, EN 55450:1996, EN 55451:1996, EN 55452:1996, EN 55453:1996, EN 55454:1996, EN 55455:1996, EN 55456:1996, EN 55457:1996, EN 55458:1996, EN 55459:1996, EN 55460:1996, EN 55461:1996, EN 55462:1996, EN 55463:1996, EN 55464:1996, EN 55465:1996, EN 55466:1996, EN 55467:1996, EN 55468:1996, EN 55469:1996, EN 55470:1996, EN 55471:1996, EN 55472:1996, EN 55473:1996, EN 55474:1996, EN 55475:1996, EN 55476:1996, EN 55477:1996, EN 55478:1996, EN 55479:1996, EN 55480:1996, EN 55481:1996, EN 55482:1996, EN 55483:1996, EN 55484:1996, EN 55485:1996, EN 55486:1996, EN 55487:1996, EN 55488:1996, EN 55489:1996, EN 55490:1996, EN 55491:1996, EN 55492:1996, EN 55493:1996, EN 55494:1996, EN 55495:1996, EN 55496:1996, EN 55497:1996, EN 55498:1996, EN 55499:1996, EN 55500:1996, EN 55501:1996, EN 55502:1996, EN 55503:1996, EN 55504:1996, EN 55505:1996, EN 55506:1996, EN 55507:1996, EN 55508:1996, EN 55509:1996, EN 55510:1996, EN 55511:1996, EN 55512:1996, EN 55513:1996, EN 55514:1996, EN 55515:1996, EN 55516:1996, EN 55517:1996, EN 55518:1996, EN 55519:1996, EN 55520:1996, EN 55521:1996, EN 55522:1996, EN 55523:1996, EN 55524:1996, EN 55525:1996, EN 55526:1996, EN 55527:1996, EN 55528:1996, EN 55529:1996, EN 55530:1996, EN 55531:1996, EN 55532:1996, EN 55533:1996, EN 55534:1996, EN 55535:1996, EN 55536:1996, EN 55537:1996, EN 55538:1996, EN 55539:1996, EN 55540:1996, EN 55541:1996, EN 55542:1996, EN 55543:1996, EN 55544:1996, EN 55545:1996, EN 55546:1996, EN 55547:1996, EN 55548:1996, EN 55549:1996, EN 55550:1996, EN 55551:1996, EN 55552:1996, EN 55553:1996, EN 55554:1996, EN 55555:1996, EN 55556:1996, EN 55557:1996, EN 55558:1996, EN 55559:1996, EN 55560:1996, EN 55561:1996, EN 55562:1996, EN 55563:1996, EN 55564:1996, EN 55565:1996, EN 55566:1996, EN 55567:1996, EN 55568:1996, EN 55569:1996, EN 55570:1996, EN 55571:1996, EN 55572:1996, EN 55573:1996, EN 55574:1996, EN 55575:1996, EN 55576:1996, EN 55577:1996, EN 55578:1996, EN 55579:1996, EN 55580:1996, EN 55581:1996, EN 55582:1996, EN 55583:1996, EN 55584:1996, EN 55585:1996, EN 55586:1996, EN 55587:1996, EN 55588:1996, EN 55589:1996, EN 55590:1996, EN 55591:1996, EN 55592:1996, EN 5559



Εργοστάσιο



Εγγύηση:

Καλύτερη Πηγή International Company 12 μήνες υπηρεσία εγγύησης για το προϊόν σας. κάρτα εγγύησης σας είναι ένα σημαντικό έγγραφο. θα πρέπει να επιδείξετε την κάρτα εγγύησης για να επωφεληθούν από την υπηρεσία εγγύησης.

Όροι & amp? προϋποθέσεις:

α) Ελεύθερη--Charge της περιόδου τήρησης του προϊόντος είναι 12 μήνες. Κατά τη διάρκεια αυτής της περιόδου, μπορούμε να το επισκευάσουμε δωρεάν (Ζημιές που δεν προκαλείται από κακή χρήση ή βανδαλισμό). Για την αποκατάσταση μετά την περίοδο εγγύησης, τέλη συντήρησης θα χρεωθεί.

β) Κατά τη διάρκεια της περιόδου εγγύησης, για ζημιά που προκλήθηκε από κακή χρήση ή για άλλους λόγους που είναι εκτός του εύρους της εγγύησης, οι χρήστες μπορούν να επισκευάσουν τα προϊόντα με την επίδειξη αυτής της κάρτας. Εμείς θα χρεώνει μόνο για τα συστατικά.

γ) Όταν τα προϊόντα χρειάζονται συντήρηση, παρακαλούμε να παραδώσουν την κάρτα εγγύησης μαζί με τα προϊόντα για την κατασκευή ή τον τοπικό διανομέα.

δ) Το άνοιγμα της μέσα από τα προϊόντα και έσχιζαν την ετικέτα σφράγισης ιδιώτες είναι εκτός του εύρους της εγγύησης.

ε) Δεν επισκευάσει το χαλασμένο στοιχείο, αφού έχει τροποποιηθεί ή να προστεθεί άλλες λειτουργίες.

Υπό τις ακόλουθες συνθήκες, η συντήρηση θα χρεωθεί:

1. Έλεγχος της Περιόδου, συντήρηση ή αλλαγή εξαρτημάτων που οφείλονται στη φυσιολογική φθορά.
2. Οι οφειλόμενες στην συντριβή, εξώθηση, τεχνητή πλημμύρες, υγρασία ή άλλους προσωπικούς λόγους.
3. Ζημιές που οφείλονται σε πλημμύρες, πυρκαγιά, απεργία αστραπή και άλλες φυσικές καταστροφές ή δύναμη ειδικεύτηκε περιστατικά παράγοντες
4. Επισκευαζόμενα στοιχείου από μη εξουσιοδοτημένα κέντρα επισκευών