Specifiche

cellulare robusto sbloccato

- 1.WCDMAGSM
- 2. doppia SIM/standby, dual core
- 3.walkie-talkie
- 4.impermeabile
- 5: caduta libera di 5 M, resistenza all'acqua 3 M, pressione 1500 kg
- 6: Design standard IP 68 (PROTEZIONE D'INGRESSO).
- 7: Piattaforma: MTK6250A, 2 velocità core, CPU 1.2G
- 8: anche antipolvere e antiurto


























Specification

Chipset Dual Quad MTK 6250A Cheapest Land rovel L8 rugged mobile phone

Screen Size 2.4 inch IPS screen

Sim Card Dual Sim (GSM+GPRS+EDGE)

Memory 64M/64M GPS Support Bluetooth Bluetooth 2.0

TF Card Support Maximum 32G
Talk Time Up than 7hrs

Standby Time 251hrs

Walkie Talkie Frequency 400-470MHz Full Frequency Walkie Talkie Module, Can

Walkie Talkie With Same/Similar Communication System,

Communication Distance: 3-5 Kilometers

Screen 2.4TFT

GSM 850/900/1800/1900MHz

Battery 2000mAh

External Support 32G T-Flash card maximum

Memory 64m/64m

Video/Audio Support MP3, etc.

Photo Support JPG, PNG, BMP, GIF

Outdoor tools E-compass, waterproof camera, muti-function sersor

Other Configurations TV, Wikie talkie

Accessories 1 *2000mAh Battery

1 * USB Cable 1 * USB Charger 1 * Charging Adapter 1 * 3.5mm Earphone

1 * Manual









Runbo

Smartphone • Waterproof • Walkie Talkie

Certificate of Authorization

Hereby authorise: Best Source International Limited

Address: Room A2605 world trade plaza, Fuhong Road,

Futian District, Shenzhen, Guangdong, China

Contact: Hezhongqing

Tel: +86 138 2372 4280

Website: http://bestsourcehk.en.alibaba.com

http://www.aliexpress.com/store/501176

AS Runbo's

Authorised distributor

Except China (included Hongkong, Macao, Taiwan)

Authorization deadline: Feb. 2014-Feb. 2015
With these commitments: Runbo product which purchased
from this shop are original authentic goods, can enjoy
complete after-sale service, for the unauthorization
product Runbo company will not guarantee the authenticity
and legitimacy of their product, will cot help for
distinguish or responsible for after-sales service